SAFETY DATA SHEET

WM5970035

| Section 1. Identifie | cation |
|--|--|
| Product name | : AQUALIGHT™ Clear 35 Gloss |
| Product code | : WM5970035 |
| Other means of identification | : Not available. |
| Product type | : Liquid. |
| Not applicable. | he substance or mixture and uses advised against |
| | |
| Manufacturer | : AcromaPro 140 Garden Ave. Brantford, ON N3S 7W4 |
| Emergency telephone number of the company | : (216) 566-2917 |
| Product Information Telephone Number | : (519) 758-1508 |
| Regulatory Information Telephone Number | : (216) 566-2902 |
| Transportation Emergency Telephone Number | : (800) 424-9300 |
| Section 2. Hazard | s identification |
| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Classification of the substance or mixture | : SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |
| | Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1.5% |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements Precautionary statements | : May cause damage to organs through prolonged or repeated exposure. |
| Prevention | : Do not breathe vapor. |
| Response | : Get medical attention if you feel unwell. |
| Storage | : Not applicable. |
| Disposal | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY. |
| | Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage. |
| Date of issue/Date of revision | : 7/6/2016 Date of previous issue : 6/4/2016 Version : 3.01 1/10 |

Section 2. Hazards identification

Hazards not otherwise classified

vise :None known.

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------|---|----------------|
| Other means of | : | Not available. |
| identification | | |

CAS number/other identifiers

| Ingredient name | % by weight | CAS number |
|-------------------------------|-------------|------------|
| 2-Methoxymethylethoxypropanol | 1.53 | 34590-94-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necess | ary first aid measures |
|-----------------------|---|
| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention following exposure or if feeling unwell. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| | toms/effects, acute and delayed |
| Potential acute healt | h effects |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs | s/symptoms |
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |

| Data | ~* | in nun / | Data | ~* | rovicion | |
|------|----|----------|------|----|----------|--|
| Date | ΟΤ | issue/ | Date | ΟΤ | revision | |

Section 4. First aid measures

| Skin contact | : No specific data. |
|-----------------------|---|
| Ingestion | : No specific data. |
| Indication of immedia | te medical attention and special treatment needed, if necessary |

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|----------------------------|--|
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protect | tiv | e equipment and emergency procedures |
|--------------------------------|-----|--|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | nta | ainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste |

| Date of issue/Date of revision | : 7/6/2016 | Date of previous issue | : 6/4/2016 | Version : 3.01 | 3/10 |
|--------------------------------|------------|------------------------|------------|----------------|------|
|--------------------------------|------------|------------------------|------------|----------------|------|

disposal contractor.

Section 6. Accidental release measures

| Lar | ae | spi | П |
|-----|----|-----|---|
| | | | |

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|--|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

| Ingredient name | Exposure limits | | |
|-------------------------------|---|--|--|
| 2-Methoxymethylethoxypropanol | ACGIH TLV (United States, 3/2015). | | |
| | Absorbed through skin. | | |
| | TWA: 100 ppm 8 hours. | | |
| | TWA: 606 mg/m ³ 8 hours. | | |
| | STEL: 150 ppm 15 minutes. | | |
| | STEL: 909 mg/m ³ 15 minutes. | | |
| | NIOSH REL (United States, 10/2013). | | |
| | Absorbed through skin. | | |
| | TWA: 100 ppm 10 hours. | | |
| | TWA: 600 mg/m ³ 10 hours. | | |
| | STEL: 150 ppm 15 minutes. | | |
| | STEL: 900 mg/m ³ 15 minutes. | | |
| | OSHA PEL (United States, 2/2013). | | |
| | Absorbed through skin. | | |
| | TWA: 100 ppm 8 hours. | | |
| | TWA: 600 mg/m ³ 8 hours. | | |

Occupational exposure limits (Canada)

| Ingredient name | Exposure limits |
|-----------------|-----------------|
| None. | |

| Date of issue/Date of revision | : 7/6/2016 | Date of previous issue | : 6/4/2016 | Version | : 3.01 | 4/10 |
|--------------------------------|------------|------------------------|------------|---------|--------|------|
| | | | | | | |

Section 8. Exposure controls/personal protection

| Appropriate engineering controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. |
|------------------------------------|------------|--|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measur | <u>'es</u> | |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| | | |

Section 9. Physical and chemical properties

| <u>Appearance</u> | |
|--|------------------------------------|
| Physical state | : Liquid. |
| Color | : Not available. |
| Odor | : Not available. |
| Odor threshold | : Not available. |
| рН | : 8.1 |
| Melting point | : Not available. |
| Boiling point | : 100°C (212°F) |
| Flash point | : Closed cup: >93.3°C (>199.9°F) |
| Evaporation rate | : 0.8 (butyl acetate = 1) |
| Flammability (solid, gas) | : Not available. |
| Lower and upper explosive (flammable) limits | : Lower: 1.1% Upper: 14% |
| Vapor pressure | : 0.31 kPa (2.333 mm Hg) [at 20°C] |
| | |

Date of issue/Date of revision

Section 9. Physical and chemical properties

| | | • • |
|--|---|--|
| Vapor density | : | 1 [Air = 1] |
| Relative density | : | 1.04 |
| Solubility | : | Not available. |
| Partition coefficient: n- octanol/water | 1 | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| Viscosity | 1 | Kinematic (room temperature): >0.205 cm²/s (>20.5 cSt) Kinematic (40°C (104°F)): >0.205 cm²/s (>20.5 cSt) |
| Molecular weight | : | Not applicable. |
| Aerosol product | | |
| Heat of combustion | : | 1.824 kJ/g |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : No specific data. |
| Incompatible materials | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Ocation 44 Taxia | a la via a lin fa una atia n |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------------|----------------------|---------|-------|--------------|-------------|
| 2-Methoxymethylethoxypropanol | Eyes - Mild irritant | Human | - | 8 milligrams | - |
| | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |
| | | | | milligrams | |
| | Skin - Mild irritant | Rabbit | - | 500 | - |
| | | | | milligrams | |

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

6/10

Section 11. Toxicological information

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

| Name | | Route of exposure | Target organs |
|-------------------------------|------------|----------------------|---|
| 2-Methoxymethylethoxypropanol | Category 3 | | Respiratory tract irritation and Narcotic effects |

Specific target organ toxicity (repeated exposure)

| Name | | Route of exposure | Target organs |
|-------------------------------|------------|----------------------|----------------|
| 2-Methoxymethylethoxypropanol | Category 2 | Not determined | Not determined |

Aspiration hazard

Not available.

| Information on the likely routes of exposure | : Not available. |
|---|---|
| Potential acute health effect | <u>cts</u> |
| Eye contact | : No known significant effects or critical hazards. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| | |

| Symptoms related to | the physical, chemical and toxicological characteristics |
|---------------------|--|
| Eye contact | : No specific data. |
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

| Delayeu anu infineulate el | ffects and also chronic effects from short and long term exposure |
|--|---|
| <u>Short term exposure</u> | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health e | effects |
| Not available. | |
| | |
| General | : May cause damage to organs through prolonged or repeated exposure. |
| | May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards. |
| General | |
| General Carcinogenicity | : No known significant effects or critical hazards. |
| General Carcinogenicity Mutagenicity | No known significant effects or critical hazards. No known significant effects or critical hazards. |

| Date of issue/Date of revision | : 7/6/2016 | Date of previous issue | : 6/4/2016 | Version : 3.01 | 7/10 |
|--------------------------------|------------|------------------------|------------|----------------|------|
|--------------------------------|------------|------------------------|------------|----------------|------|

| Section 12. Eco | logical information |
|--|---|
| Toxicity | |
| Not available. | |
| Persistence and degradal | bility |
| Not available. | |
| Bioaccumulative potentia | <u>l</u> |
| Not available. | |
| <u>Mobility in soil</u> | |
| Soil/water partition coefficient (Koc) | : Not available. |
| Other adverse effects | : No known significant effects or critical hazards. |
| Section 13. Disp | osal considerations |
| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |

and sewers.
Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | ΙΑΤΑ | IMDG |
|-------------------------------|-----------------------|-----------------------|--------------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - |
| Packing group | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. |

Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

| Additional information | - | - | - | - | - |
|---|--------------|---|---|---|--|
| Special precautio | ons for user | : Multi-modal shipping desi consider container sizes. mode of transport (sea, a suitably for that mode of t prior to shipment, and con responsibility of the perso unloading dangerous goo substances and on all act | The presence of a sh ir, etc.), does not indi ransport. All packagir npliance with the app n offering the produc ds must be trained or | hipping description for cate that the product ng must be reviewed licable regulations is t for transport. Peop n all of the risks deri | or a particular It is packaged I for suitability Is the sole Ile loading and |
| Transport in bulk to Annex II of MAI the IBC Code | | : Not available. | | | |
| | | Proper shipping name | : Not available. | | |
| | | Ship type | : Not available. | | |
| | | | | | |

Section 15. Regulatory information

<u>SARA 313</u>

SARA 313 (40 CFR 372.45) supplier notification can be found on the Environmental Data Sheet.

California Prop. 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

Procedure used to derive the classification

| Classification | | Justification | |
|--|------------|--------------------|--|
| SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 | | Calculation method | |
| <u>History</u> | | | |
| Date of printing | : 7/6/2016 | | |
| Date of issue/Date of revision | : 7/6/2016 | | |
| Date of previous issue | : 6/4/2016 | | |
| Version | : 3.01 | | |
| | | | |
| | | | |

Date of issue/Date of revision

_ _ _

- --

: 7/6/2016

9/10

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|----------------------|--|
| | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 |
| | as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | UN = United Nations |

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by Sherwin-Williams, including but not limited to the incorporation of non Sherwin-Williams products or the use or addition of products in proportions not specified by Sherwin-Williams. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.